

Big size trolley designed for transportation and storage of profiled bars during the cutting phase.



Emmegi S.p.A. Via delle Industrie, 2 20044 - Arese (MI) ITALY

Tel 39 02356961 P.IVA 01978870366 info@tekna.it www.tekna.it The right to make technical alterations is reserved.

К Текпа

TECHNICAL SHEET

18/07/2025



Adjustable vertical containment

System that allows bars to be housed on support surfaces.



Surface in nonslip PVC The surfaces are covered with soft nonslip PVC, which provides safe support for carrying the profiles.



Pivoting wheels

Equipped with 4 pivoting wheels with brakes, they ensure a high degree of mobility and easy handling of the object. Locking the braking units allows their position to be fixed near different work areas.



Emmegi S.p.A. Via delle Industrie, 2 20044 - Arese (MI) ITALY Tel 39 02356961 P.IVA 01978870366 info@tekna.it www.tekna.it The right to make technical alterations is reserved.



CHARACTERISTICS

| Soft PVC contact surface | • |
|--|---------|
| Plug-in storage of unloaded trolleys | • |
| 4 swivel casters, 2 of which have locking stops (mm) | Ø = 150 |
| Adjustable centre supports | • |
| Removable bar containment device with two preset heights | • |
| Length (mm) | 4.150 |
| Width (mm) | 852 |
| Height (mm) | 982 |
| Load capacity (kg) | 600 |
| Weight (kg) | 80 |

Included • Available O



Emmegi S.p.A. Via delle Industrie, 2 20044 - Arese (MI) ITALY

Tel 39 02356961 P.IVA 01978870366 info@tekna.it www.tekna.it The right to make technical alterations is reserved.