


## KARTA CHARAKTERYSTYKI TECHNICZNEI



4-axis CNC mobile gantry machining centre, designed for drilling, milling and threading at any angle from -90° to +90° on bars or pieces in aluminium, PVC, light alloys and steel up to 2 mm thickness. The mobile part of the machine is composed of a gantry with double gantry motorisation on a high precision rack The local safety cab, made in technopolymer, was designed to combine top functionality, accessibility, soundproofing and light with safety and ergonomic requirements. The operator has broad glazed surfaces to check machining execution and easy access during cleaning and maintenance. Cab interior ensures chip conveying to the collection system available in the base. The 8.5 kW electrospindle is able to perform even heavy-duty machining with excellent, rapid and accurate results. The 12-place tool magazine, integrated into the mobile gantry, features two dedicated positions for holding a blade with a maximum diameter of 250 mm and an angular machining head. It includes two different operating modes: the first one, in singlezone mode, for machining whole bars in a single working area, up to 7 m long; the second one, in double operation, for working on multiple workpieces in the two separate working areas. In version with clamp handling system on H and P axes, the machine can be used in dynamic double operation, a work method that enables reducing machine stop times to a minimum, as it enables automatic arranging of the clamps in concurrent operation time with respect to the spindle machining processes in the opposite working field. TKE 954 features a laser scanner for more precise and advanced access control to the machine, raising safety and operator/machine interface standards. In double operation, the laser scanner, unlike the light curtains, allows, from time to time, the appropriate programming of the two separate working areas on the X-axis, increasing the flexibility of use of the machine.

**TKE 954 / MACHINING CENTRES** 

**ZAKRES ROBOCZY** 





## KARTA CHARAKTERYSTYKI TECHNICZNEJ

16/12/2025

## **ZAKRES ROBOCZY**

włączony • d

 $\mathsf{dostepny} \mathrel{\bigcirc}$